

# LUCKY EVO C

100622.01 + 100250.99

LUCKY EVO C: LED 32W 4K L=1406 BI EM. + LUCKY EVO B/C: DIFF. OPALE PER L1406

**novalux**  
ITALIAN LIGHTING DESIGN SINCE 1948



## Features

Use: Indoor  
Type of installation: RECESSED INTO BRICKWORK, RECESSED INTO PLASTERBOARD  
Emission: DIRECT  
Optics: OPAL  
Colour: WHITE  
Dimming: ON/OFF  
Emergency: Autonomy 1h/Recharge time 12h  
L: 1406mm  
A: 70mm  
H: 62mm  
Made in: ITALY  
Warranty: 5 years except battery  
Weight: 4.37kg

## Tech data

Luminaire input power: 34.4W  
Luminaire luminous flux: 2721lm  
Luminous flux in emergency: 12%  
IP: 40  
Insulation class: I  
Supply voltage: 220-240V 50/60Hz  
SELV: Si

## Source

Light source: LED  
Source power: 32W  
Source luminous flux: 4857lm  
Colour temperature: 4000K  
CRI: >80  
Colour tolerance: 3 Step MacAdam  
LED lifespan: 50000h L80 B20

## Compliance



CEI EN 60598-1:2015 + A11:2009. IEC 60598-2:2015 2-1, 2-2, 2-22

## Standards

Photobiological risk: RISK GROUP 0 Certified fixture in EXEMPT GROUP, in accordance with CEI EN 62471:2010-01, IEC TR 62778:2014.

CAM edilizia: The product complies with the requirements for public buildings, ministerial decree of 23rd June 2022 n.256.

[LUCKY EVO C: View more product info](#)



Novalux S.r.l. via Marzabotto, 2 40050 Funo di Argelato (BO) Italy  
Tel: +39 051 860558 · Fax +39 051 6647859 · Mail: info@novalux.it · VAT number 00536541204 · novalux.com  
Company subject to the management and coordination by SLV GmbH

This technical data sheet is owned by Novalux S.r.l., all rights reserved. Novalux S.r.l. reserves the right to make changes without prior notice.  
Last update: 6/8/2025, 13:10:26

# LUCKY EVO C

100622.01 + 100250.99

LUCKY EVO C: LED 32W 4K L=1406 BI EM. + LUCKY EVO B/C: DIFF. OPALE PER L1406

**novalux**  
ITALIAN LIGHTING DESIGN SINCE 1948





## Features

Use: Indoor  
Optics: OPAL  
Emergency: NO  
L: 1406mm  
A: 48mm  
H: 10mm  
Made in: ITALY  
Warranty: 5 years  
Weight: 0.2kg

## Tech data

IP: 40



Novalux S.r.l. via Marzabotto, 2 40050 Funo di Argelato (BO) Italy  
Tel: +39 051 860558 · Fax +39 051 6647859 · Mail: info@novalux.it · VAT number 00536541204 · novalux.com  
Company subject to the management and coordination by SLV GmbH

This technical data sheet is owned by Novalux S.r.l., all rights reserved. Novalux S.r.l. reserves the right to make changes without prior notice.  
Last update: 6/8/2025, 13:10:26


# LUCKY EVO C

100622.01 + 100250.99

LUCKY EVO C: LED 32W 4K L=1406 BI EM. + LUCKY EVO B/C: DIFF. OPALE PER L1406


**novalux**  
ITALIAN LIGHTING DESIGN SINCE 1948

## COMPLETION ACCESSORIES



LUCKY EVO C: COPPIA TESTATE BIANCHE


**100650.01**



LUCKY EVO C: GIUNTI LINEARI.

**100649.01**

## MOUNTING ACCESSORIES



LUCKY EVO C: CASSAFORMA X MURAT. L=1406

**100653.99**



LUCKY EVO C: COPPIA TESTATE CASSAFORMA

**100655.99**



Novalux S.r.l. via Marzabotto, 2 40050 Funo di Argelato (BO) Italy  
Tel: +39 051 860558 · Fax +39 051 6647859 · Mail: info@novalux.it · VAT number 00536541204 · novalux.com  
Company subject to the management and coordination by SLV GmbH

This technical data sheet is owned by Novalux S.r.l., all rights reserved. Novalux S.r.l. reserves the right to make changes without prior notice.  
Last update: 6/8/2025, 13:10:26