



HERO

108651.20 + 108905.99

HERO: 48W 3K 2240 DALI CAF + HERO: DIFF. OPALE PER 2240



novalux
ITALIAN LIGHTING DESIGN SINCE 1948



Features

Use: Indoor
Type of installation: WALL, RECESSED INTO PLASTERBOARD, SUSPENDED, CEILING MOUNTED, TRACK
Emission: DIRECT
Optics: OPAL
Colour: CAFFE
Dimming: PUSH, DALI
Emergency: NO
L: 2240mm
A: 53mm
H: 69mm
Made in: ITALY
Warranty: 5 years
Weight: 5.6kg

Tech data

Luminaire input power: 57.6W
Luminaire luminous flux: 3884lm
IP: 40
Insulation class: I
No. of driver per product: 2
Supply voltage: 220-240V 50/60Hz
SELV: Si

Source

Light source: LED
Source power: 48W
Colour temperature: 3000K
CRI: >90
Colour tolerance: 3 Step MacAdam
LED lifespan: 50000h L90 B10

Compliance

CEI EN 60598-1:2021 + A11:2023, CEI EN 60598-2-1:2022, CEI EN 60598-2-2:2012

Standards

Photobiological risk: RISK GROUP 0 Certified fixture in EXEMPT GROUP, in accordance with CEI EN 62471:2010-01, IEC TR 62778:2014.
CAM edilizia: The product complies with the requirements for public buildings, ministerial decree of 23rd June 2022 n.256.

[HERO: View more product info](#)



Novalux S.r.l. via Marzabotto, 2 40050 Funo di Argelato (BO) Italy
Tel: +39 051 860558 · Fax +39 051 6647859 · Mail: info@novalux.it · VAT number 00536541204 · novalux.com
Company subject to the management and coordination by SLV GmbH

This technical data sheet is owned by Novalux S.r.l., all rights reserved. Novalux S.r.l. reserves the right to make changes without prior notice.
Last update: 6/8/2025, 13:17:37

HERO

108651.20 + 108905.99

HERO: 48W 3K 2240 DALI CAF + HERO: DIFF. OPALE PER 2240

novalux
ITALIAN LIGHTING DESIGN SINCE 1948




Features

Use: Indoor
Optics: OPAL
L: 2240mm
A: 48mm
H: 6mm
Made in: ITALY
Warranty: 5 years
Weight: 0.4kg

Tech data

IP: 40



Novalux S.r.l. via Marzabotto, 2 40050 Funo di Argelato (BO) Italy
Tel: +39 051 860558 · Fax +39 051 6647859 · Mail: info@novalux.it · VAT number 00536541204 · novalux.com
Company subject to the management and coordination by SLV GmbH

This technical data sheet is owned by Novalux S.r.l., all rights reserved. Novalux S.r.l. reserves the right to make changes without prior notice.
Last update: 6/8/2025, 13:17:37

HERO

108651.20 + 108905.99

HERO: 48W 3K 2240 DALI CAF + HERO: DIFF. OPALE PER 2240

novalux
ITALIAN LIGHTING DESIGN SINCE 1948

COMPLETION ACCESSORIES

| | | |
|-------------------------------------------------------------------------------------|--------------------------------|-----------|
|  | HERO: MOD.CIECO 250 CAF | 108676.20 |
|  | HERO: MOD.CIECO 1400 CAF | 108680.20 |
|  | HERO: MOD.CIECO ANG.SX 150 CAF | 108677.20 |
|  | HERO: MOD.CIECO 1680 CAF | 108681.20 |
|  | HERO: COPPIA TESTATE CAF | 108684.20 |
|  | HERO: MOD.CIECO ANG.DX 150 CAF | 108678.20 |
|  | HERO: MOD.CIECO 1120 CAF | 108679.20 |

MOUNTING ACCESSORIES

| | | |
|-------------------------------------------------------------------------------------|--------------------------------------|-----------|
|  | KIT ALIMENTAZIONE L1200 5P BIA | 108921.01 |
|  | HERO: SOSPL.3000 1PZ TESTA W.G.BASSO | 108685.99 |
|  | KIT ALIMENTAZIONE L3000 5P BIA | 108922.01 |



Novalux S.r.l. via Marzabotto, 2 40050 Funo di Argelato (BO) Italy
Tel: +39 051 860558 · Fax +39 051 6647859 · Mail: info@novalux.it · VAT number 00536541204 · novalux.com
Company subject to the management and coordination by SLV GmbH

This technical data sheet is owned by Novalux S.r.l., all rights reserved. Novalux S.r.l. reserves the right to make changes without prior notice.
Last update: 6/8/2025, 13:17:37

HERO

108651.20 + 108905.99

HERO: 48W 3K 2240 DALI CAF + HERO: DIFF. OPALE PER 2240

novalux
ITALIAN LIGHTING DESIGN SINCE 1948

| | | |
|-------------------------------------------------------------------------------------|---------------------------------------|------------------|
|  | KIT ALIMENTAZIONE L3000 5P CAF | 108922.20 |
|  | HERO: SPESS. CARTONG. 10MM 2PZ. | 108689.99 |
|  | HERO: SOSPL.3000 1PZ UNIONE W.G.BASSO | 108686.99 |
|  | ALL-TRACK: COPPIA ADATT. 3P+DALI NER | 106723.02 |
|  | HERO: STAFFA PARETE "L" CAF | 108687.20 |
|  | ALL-TRACK: COPPIA ADATT. 3P+DALI BIA | 106723.01 |
|  | HERO: SOSPL.3000 1PZ TESTA W.G.ALTO | 1086A1.99 |
|  | KIT ALIMENTAZIONE L1200 5P CAF | 108921.20 |
|  | HERO: KIT INCASSO LED (1X) | 108688.99 |
|  | HERO: SOSPL.3000 1PZ UNIONE W.G.ALTO | 1086A2.99 |



Novalux S.r.l. via Marzabotto, 2 40050 Funo di Argelato (BO) Italy
Tel: +39 051 860558 · Fax +39 051 6647859 · Mail: info@novalux.it · VAT number 00536541204 · novalux.com
Company subject to the management and coordination by SLV GmbH

This technical data sheet is owned by Novalux S.r.l., all rights reserved. Novalux S.r.l. reserves the right to make changes without prior notice.
Last update: 6/8/2025, 13:17:37