

Features

Use: Indoor

Type of installation: RECESSED INTO PLASTERBOARD, SUSPENDED, CEILING MOUNTED

Emission: DIRECT

Optics: MICROPRISMATIZED

Colour: WHITE

Dimming: WITH ACCESSORY

Emergency: WITH ACCESSORY

L: 595mm

A: 595mm

H: 30mm

ø: 80

Warranty: 5 years

Weight: 1.99kg

Tech data

Luminaire luminouse flux: (3K) 5544lm / (4K) 5793lm

Luminous flux in emergency: 1h: 11% / 3h: 4%

IP: 40

Insulation class: III

Supply voltage: DC 1050 mA

UGR: <19

IK: 5

SELV: Si

Source

Light source: LED

Source power: 36W

Colour temperature: 3000K/4000K

CRI: >90

LED lifespan: 50000h L90 B10

Compliance

CEI EN 60598-1:2021 + A11:2023, CEI EN 60598-2-1:2022, CEI EN 60598-2-2:2012

Standards

Photobiological risk: RISK GROUP 0 Certified fixture in EXEMPT GROUP, in accordance with CEI EN 62471:2010-01, IEC TR 62778:2014.

CAM edilizia: CAM edilizia - Conforme al Decreto Ministeriale 23 giugno 2022 n.256 e 24 novembre 2025 n.256.

[PANEL PERFORMANCE: View more product info](#)

PANEL PERFORMANCE

113640.01


novalux
ITALIAN LIGHTING DESIGN SINCE 1948

MOUNTING ACCESSORIES



BACKLIT: KIT MOLLE INC.CART.600/1200 MG

113620.99




BACKLIT: BOX PER INST. SOSP. 600X600 BIA

113637.01




BACKLIT: KIT ANTICADUTA

113639.99



BACKLIT: BOX PER INST. PLAF. 600X600 BIA

113610.01



THE PANEL 2: KIT INST.INC.RAS.CART.600

102028.99



KIT ALIMENTAZIONE L3000 3P BIA

108920.01



KIT ALIMENTAZIONE L3000 5P BIA

108922.01

ELECTRICAL ACCESSORIES



ALIM. LED 42W 500/1100MA 28-38V

101362.99

DIMMABLE ACCESSORIES



ALIM. LED 44W 1050MA 9/42V DALI

101363.99



Novalux S.r.l. via Marzabotto, 2 40050 Fano di Argelato (BO) Italy
Tel: +39 051 860558 · Fax +39 051 6647859 · Mail: info@novalux.it · VAT number 00536541204 · novalux.com
Company subject to the management and coordination by SLV GmbH


This technical data sheet is owned by Novalux S.r.l., all rights reserved. Novalux S.r.l. reserves the right to make changes without prior notice.
Last update: 9/6/2026, 16:02:59

PANEL PERFORMANCE

113640.01


novalux
ITALIAN LIGHTING DESIGN SINCE 1948

EMERGENCY ACCESSORIES



THE PANEL 2: EMER.INC.1H 10/54VDC

1020A4.99



THE PANEL 2: EMER.INC.3H 10/54VDC

1020A5.99



Novalux S.r.l. via Marzabotto, 2 40050 Fano di Argelato (BO) Italy
Tel: +39 051 860558 · Fax +39 051 6647859 · Mail: info@novalux.it · VAT number 00536541204 · novalux.com
Company subject to the management and coordination by SLV GmbH

This technical data sheet is owned by Novalux S.r.l., all rights reserved. Novalux S.r.l. reserves the right to make changes without prior notice.
Last update: 9/6/2026, 16:02:59